


## Glove Specification Sheet For Item #19251L

Item Number:	19251L	Case Pack:	6 DZ.
Size	LARGE	Weight:	5.50 LBS.
Series:		Case Weight:	33.00 LBS.
		Case Dimensions:	14.5X10X15.75

Description	Image
<p>'Pigskin Leather Gloves w/ Nylon Back', Gunn pattern, gold color, "A/B" Grade grain pig skin, Orange Hi-Vis Nylon Back, Shirred elastic, Canvas 2.5" safety cuff, 3M reflective tape across cuff &amp; knuckle area. Each glove to have natural color cotton hem &amp; fleecy cotton palm lining. Each pair of glove to have luminator &amp; 3m reflective hang tag on left hand glove, Each dz. to poly bag w/ luminator paper insert w/ bar code, packed 6 dz. to master caase, printed w/ luminator logo art &amp; bar code. Size: Large</p>	
Features And Benefits	

Materials			
Glove Palm:	Premium Grain Pig, Cream color, 1.0/1.1 MM Thickness	Glove Back:	100 % Polyester Hi-Vis Orange Fabric, W/ 3 M Reflective tape on knuckle area. Leather finger tips & knuckle strap
Weight / Thickness:		Weight / Thickness:	
Glove Lining:	8 OZ. FLEECY LINING, (100% COTTON KNITTED FABRIC).	Cuff / Wrist	2.5' RUBBERIZED CUFF W/ HI- VIS "FABRIC W/ 3M REFLECTIVE TAPE. BACKING AND LOGO
Stitching:	SINGLE/DOUBLE STITCHING, 8 STITCHES TO AN INCH.	Thread	POLYESTER
Color:	GOLD	Thumb Type:	WING
Packaging:	ONE DOZEN PER PRINTED BOX. Master case pack is 6 DZ	Made In:	CHINA
		Logo / Color:	
Carton Marking:	CARTON MARKING ON ALL (4) SIDES, ITEM NUMBER 19251L, QUANTITY DZ 6, P.O. NUMBER _____, CASE DIMENSIONS MADE IN CHINA, MGC.		
RN Information:			

More Information	
Complies With The Following Regulations:	CE EN 388 CERTIFICATION. ;
Manufactured For:	MCR Safety – Memphis, Tennessee U.S.A.
Purchasing Manager:	AM

**Glove Specification Sheet For Item #19251L**

--	--

**Glove Specification Sheet For Item #19251L**

**FOR INTERNAL USE ONLY**

Glove Measurements	Width (in inches)						Length (in inches)					
	Wrist	Thumb Crotch	I	M	R	P	Palm	Cuff / Wrist	I	M	R	P
<b>Standard</b>	4.75	4.75	1.62	1.75	1.62	1.50	4.00	2.50	4.13	3.50	3.25	6.50
<b>Allowance</b>	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25

**Comments:**

**HTS Number:** 4203.29.1800